

- 48", 54", 60", 72" heights.
- (48" tall is offered in 2-rail or 3-rail option)
- 6' wide assembled sections only.
- 1" x 1" rails. 5/8" square picket.
- 3-13/16" space between pickets.
- Offered with flush or traditional bottom rail. Traditional style has 5" exposed picket below the bottom rail.
- 4-rail option on 72" tall only. Add \$
- On center post spacing for 6' wide section = 72 1/2"



6' wide assembled sections only.

Order 2x2 post caps separately.	See pg 47E	Flush Bottom Rail		Traditional	Bottom Rail
* Allow 1 full week for delivery.	Part #	1 - 20	21 +	1 - 20	21 +
48" tall Classic Section (2-RAIL)	AF48CL2-B-(F or T)			N/A	N/A
2 x 2 - 72" Post (Line, End, Corner)	AF48CL2-B (<u>L, E, C)</u> -(F or T)			N	/A
2 x 2 - 72" Gate Post (End) .125 wall	AF48CL2GP-B-(F or T)			N	/A
48" tall Classic Section (3-RAIL)	AF48CL3-B-(F or T)				
2 x 2 - 72" Post (Line, End, Corner)	AF48CL3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 72" Gate Post (End) .125 wall	AF48CL3GP-B-(F or T)				
54" tall Classic Section (3-RAIL)	AF54CL3-B-(F or T)				
2 x 2 - 84" Post (Line, End, Corner)	AF54CL3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 84" Gate Post (End) .125 wall	AF54CL3GP-B-(F or T)				
60" tall Classic Section (3-RAIL)	AF60CL3-B-(F or T)				
2 x 2 - 84" Post (Line, End, Corner)	AF60CL3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 84" Gate Post (End) .125 wall	AF60CL3GP-B-(F or T)				
72" tall Classic Section (3-RAIL)	AF72CL3-B-(F or T)				
2 x 2 - 96" Post (Line, End, Corner)	AF72CL3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 96" Gate Post (End) .125 wall	AF72CL3GP-B-(F or T)				

All gates are PRE-ASSEMBLED to specific size.	Gates		
All gates include black hardware.	Gate panels are 1 ½" less than F 48" wide R/O 60" wide R		
* Specify Flush or Traditional Bottom Rail			
48" tall Classic 2-rail Gate - (Flush Bottom Only)			
48" tall Classic 3-rail Gate			
54" tall Classic 3-rail Gate			
60" tall Classic 3-rail Gate			
72" tall Classic 3-rail Gate			
ALL MATERIAL IS NOT RETURNABLE. Allow 3 weeks lead time on gates			

Double gates priced as two singles. Double R/O for post placement (2-48" = 96" R/O).

All gates are welded for superior strength & durability.

Arched top gates available by special order only, please call.



- 48", 54", 60", 72" heights.
- 6' wide assembled sections only.
- 1" x 1" rails. 5%" square picket.
- 3-13/16" space between pickets.
- Offered with flush or traditional bottom rail. Traditional style has 5" exposed picket below the bottom rail.
- 4-rail option on 72" tall only. Add \$ (LIST)
- On center post spacing for 6' wide section = 72 1/2"

Order 2x2 post caps separately. See pg 47E

6' wide assembled sections only.

	Ţ				
		Flush Bo	ttom Rail	Traditional	Bottom Rail
* Allow 1 full week for delivery.	Part #	1 - 20	21 +	1 - 20	21 +
48" tall Wilmington Section (3-RAIL)	AF48WL3-B-(F or T)				
2 x 2 - 72" Post (Line, End, Corner)	AF48WL3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 72" Gate Post (End) .125 wall	AF48WL3GP-B-(F or T)				
	15-4440 5 (5 - 5)				
54" tall Wilmington Section (3-RAIL)	AF54WL3-B-(F or T)				
2 x 2 - 84" Post (Line, End, Corner)	AF54WL3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 84" Gate Post (End) .125 wall	AF54WL3GP-B-(F or T)				
60" tall Wilmington Section (3-RAIL)	AF60WL3-B-(F or T)				
2 x 2 - 84" Post (Line, End, Corner)	AF60WL3-B (L, E, C)-(F or T)				
2 x 2 - 84" Gate Post (End) .125 wall	AF60WL3GP-B-(F or T)				
72" tall Wilmington Section (3-RAIL)	AF72WL3-B-(F or T)				
2 x 2 - 96" Post (Line, End, Corner)	AF72WL3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 96" Gate Post (End) .125 wall	AF72WL3GP-B-(F or T)				

All gates are PRE-ASSEMBLED to specific size. All gates include black hardware.	Gates		
	Gate panels are	l ½" less than R/O.	
* Specify Flush or Traditional Bottom Rail	48" wide R/O	60" wide R/O	
48" tall Wilmington 3-rail Gate			
54" tall Wilmington 3-rail Gate			
60" tall Wilmington 3-rail Gate			
72" tall Wilmington 3-rail Gate			
ALL MATERIAL IS NOT DETLIDNABLE. Allow 2 weeks lead time on mater			

ALL MATERIAL IS NOT RETURNABLE. Allow 3 weeks lead time on gates.

Double gates priced as two singles. Double R/O for post placement (2-48" = 96" R/O).

All gates are welded for superior strength & durability.

Arched top gates available by special order only, please call.



Blue Ridge Aluminum Fencing

- 48", 54", 60", 72" heights.
- 6' wide assembled sections only.
- 1" x 1" rails. 5%" square picket.
- 3-13/16" space between pickets.
- Offered with flush or traditional bottom rail. Traditional style has 5" exposed picket below the bottom rail.
- 4-rail option on 72" tall only. Add \$ (LIST)
- On center post spacing for 6' wide section = 72 1/2"

Order 2x2 post caps separately. See pg 47E

6' wide assembled sections only.

		Flush Bo	ttom Rail	Traditional	Bottom Rail
* Allow 1 full week for delivery.	Part #	1 - 20	21 +	1 - 20	21 +
48" tall Blue Ridge Section (3-RAIL)	AF48BR3-B-(F or T)				
2 x 2 - 72" Post (Line, End, Corner)	AF48BR3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 72" Gate Post (End) .125 wall	AF48BR3GP-B-(F or T)				
					_
54" tall Blue Ridge Section (3-RAIL)	AF54BR3-B-(F or T)				
2 x 2 - 84" Post (Line, End, Corner)	AF54BR3-B (L, E, C)-(F or T)				
2 x 2 - 84" Gate Post (End) .125 wall	AF54BR3GP-B-(F or T)				
			_	•	T
60" tall Blue Ridge Section (3-RAIL)	AF60BR3-B-(F or T)				
2 x 2 - 84" Post (Line, End, Corner)	AF60BR3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 84" Gate Post (End) .125 wall	AF60BR3GP-B-(F or T)				
72" tall Blue Ridge Section (3-RAIL)	AF72BR3-B-(F or T)				
2 x 2 - 96" Post (Line, End, Corner)	AF72BR3-B (L, E, C)-(F or T)				
2 x 2 - 96" Gate Post (End) .125 wall	AF72BR3GP-B-(F or T)				

All gates are PRE-ASSEMBLED to specific size. All gates include black hardware.	Gates		
	Gate panels are	1 ½" less than R/O.	
* Specify Flush or Traditional Bottom Rail	48" wide R/O	60" wide R/O	
48" tall Blue Ridge 3-rail Gate			
54" tall Blue Ridge 3-rail Gate			
60" tall Blue Ridge 3-rail Gate			
72" tall Blue Ridge 3-rail Gate			
ALL MATERIAL IS NOT DETLIDNARIE. Allow 2 weeks lead time on gates			

ALL MATERIAL IS NOT RETURNABLE. Allow 3 weeks lead time on gates.

Double gates priced as two singles. Double R/O for post placement (2-48" = 96" R/O).

All gates are welded for superior strength & durability.

Arched top gates available by special order only, please call.



Chicas

Aluminum Fencing

- 48", 54", 60", 72" heights.
- 6' wide assembled sections only.
- 1" x 1" rails. %" square picket.
- 3-13/16" space between pickets.
- Offered with flush or traditional bottom rail. Traditional style has 5" exposed picket below the bottom rail.
- 4-rail option on 72" tall only. Add \$ (LIST)
- On center post spacing for 6' wide section = 72 $\frac{1}{2}$ "

Order 2x2 post caps separately. See pg 47E



6' wide assembled sections only.

		Flush Bottom Rail		Traditional	Bottom Rail
* Allow 1 full week for delivery.	Part #	1 - 20	21 +	1 - 20	21 +
48" tall Chicago Section (3-RAIL)	AF48CH3-B-(F or T)				
2 x 2 - 72" Post (Line, End, Corner)	AF48CH3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 72" Gate Post (End) .125 wall	AF48CH3GP-B-(F or T)				
54" tall Chicago Section (3-RAIL)	AF54CH3-B-(F or T)				
2 x 2 - 84" Post (Line, End, Corner)	AF54CH3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 84" Gate Post (End) .125 wall	AF54CH3GP-B-(F or T)				
		ı	1		T
60" tall Chicago Section (3-RAIL)	AF60CH3-B-(F or T)				
2 x 2 - 84" Post (Line, End, Corner)	AF60CH3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 84" Gate Post (End) .125 wall	AF60CH3GP-B-(F or T)				
	T				
72" tall Chicago Section (3-RAIL)	AF72CH3-B-(F or T)				
2 x 2 - 96" Post (Line, End, Corner)	AF72CH3-B (<u>L, E, C)</u> -(F or T)				
2 x 2 - 96" Gate Post (End) .125 wall	AF72CH3GP-B-(F or T)				

All gates are PRE-ASSEMBLED to specific size.	Gates	
All gates include black hardware.	Gate panels are 1 ½" less than R/O.	
* Specify Flush or Traditional Bottom Rail	48" wide R/O	60" wide R/O
48" tall Chicago 3-rail Gate		
54" tall Chicago 3-rail Gate		
60" tall Chicago 3-rail Gate		
72" tall Chicago 3-rail Gate		
	_	

ALL MATERIAL IS NOT RETURNABLE. Allow 3 weeks lead time on gates.

Double gates priced as two singles. Double R/O for post placement (2-48" = 96" R/O).

All gates are welded for superior strength & durability.

Arched top gates available by special order only, please call.



Aluminum Fence Accessories

NO RETURNS on Aluminum Fence Materials

Item	Caps	Part #	Price
1	Standard Cap	AF22SCAP-B	
2	Dome (ball) Cap	AF22DCAP-B	
3	Solar Lighted Cap	AF22LCAP-B	

Item	Brackets	Part #	Price
4	Flat Rail Bracket	AFRB-B	
5	Adjustable Angled Bracket	AFARB-B	
6	Adjustable Stair Bracket	AFSRB-B	


Item	Skirts	Part #	Price
7	Trim Skirt Used with Concrete Post Mount	AF22SSKRT-B	

Item	Post Base	Part #	Price
8	Concrete Post Mount (24" tall) Mounts with (4) 3%" x 3" wedge type anchors (not included).	AFAPB	

Item	Gate Hardware
9	Includes 2 hinges, 1 latch and all fasteners. Necessary hardware is already included with all pre-assembled gates.

* Pre drill holes for gate hardware in all gate posts.





Everest - Homework Full Privacy Style Fencing

- 60" & 72" heights.
- 13/4" x 51/2" bottom & top rail
- 6' wide section includes:

11-6" T&G picket panels

- 8' wide section includes:
 - 15–6" T&G picket panels
- 2– 1" x 1½" C-channels to cover panel edges.
- All sections have aluminum I stiffener in top and bottom rail.
- On center post spacing for 6' wide section= 72"
- On center post spacing for 8' wide section= 96"



Mocha Walnut colored full privacy fencing

		Wocha Wallut Colored full privacy lending.					
		6' WIDE SECTIONS		8' WIDE SECTIONS		IONS	
	Part #	1 - 10	11 - 25	26 +	1 - 10	11 - 25	26 +
60" tall Everest Section	60EVR- <u>(6' or 8')-MW</u>						
5 x 5 Line Post (90")	60EVRL-MW			I.		I	
5 x 5 End Post (90")	60EVRE-MW						
5 x 5 Corner Post (90")	60EVRC-MW						
5 x 5 Tee Post (90")	60EVRT-MW						
						1	
72" tall Everest Section	72EVR- (6' OR 8')-MW						
5 x 5 Line Post (102")	72EVRL-MW						
5 x 5 End Post (102")	72EVRE-MW						
5 x 5 Corner Post (102")	72EVRC-MW						
5 x 5 Tee Post (102")	72EVRT-MW						

5 x 5 Standard Cap options:	Mocha Walnut Item # 55SCAP-MW	
(sold separately)	Black Item # 55SCAP-B	

All gates are CUSTOM made	Gates				
to fit your rough opening. All gates include hardware.	Rough Opening Size				
All gates include hardware.	36" or Less	37" - 48"	49" - 60"		
60" tall Everest Gate - MW					
72" tall Everest Gate - MW					
CATEC ADE NOT DE	FUDNIADI E -		40		

GATES ARE NOT RETURNABLE For more about gates see page 42.

Gates provided with black hardware.

Double gates priced as two singles.

All gates are made with a permanent diagonal brace.