

# Americana

## Classic Picket Railing

Sections include rails, aluminum stiffeners, pickets, brackets & screws.

**Posts and caps are not included.**

Please order separately.




Picket Spacing= 3-3/8"

Typical installed rail height is 38"  
(Including 3" space between deck and bottom rail).

For 42" & 48" tall rail add \$ per foot (list).

Shown with **ALZAR** top rail option.

# SECTIONS

	2" x 3-1/2" Top Rail		ALZAR Top Rail	
	White	Almond, Pebblestone K, Adobe	White	Almond, Pebblestone K, Adobe
6' Americana Rail Section	6PR-S	(A,P,K)6PR-S	6PRA-S	(A,P,K)6PRA-S
8' Americana Rail Section	8PR-S	___8PR-S	8PRA-S	___8PRA-S
10' Americana Rail Section w/ 1-1/2" sq. center leg	10PR-S	___10PR-S	10PRA-S	___10PRA-S
12' Americana Rail Section w/ 1-1/2" sq. center leg	12PR-S	___12PR-S	12PRA-S	___12PRA-S
6' Americana <b>Stair</b> Rail Section 	6PSR-S	___6PSR-S	6PSRA-S	___6PSRA-S
8' Americana <b>Stair</b> Rail Section 	8PSR-S	___8PSR-S	8PSRA-S	___8PSRA-S
10' Americana <b>Stair</b> Rail Section 	10PSR-S	___10PSR-S	10PSRA-S	___10PSRA-S

## REPLACEMENT RAILS

Rails **DO NOT** include aluminum stiffeners. Sold Separately. See page 43.

	White	Colors
6' - 2" x 3.5" Americana Rail	6PR	(A, P, K)6PR
8' - 2" x 3.5" Americana Rail	8PR	___8PR
10' - 2" x 3.5" Americana Rail	10PR	___10PR
12' - 2" x 3.5" Americana Rail	12PR	___12PR
6' - Americana / ALZAR Rail	6PRA	___6PRA
8' - Americana / ALZAR Rail	8PRA	___8PRA
10' - Americana / ALZAR Rail	10PRA	___10PRA
12' - Americana / ALZAR Rail	12PRA	___12PRA
6' - 2" x 3.5" Americana <b>Stair</b> Rail	6PSR	___6PSR
8' - 2" x 3.5" Americana <b>Stair</b> Rail	8PSR	___8PSR
10' - 2" x 3.5" Americana <b>Stair</b> Rail	10PSR	___10PSR
6' - Americana / ALZAR <b>Stair</b> Rail	6PSRA	___6PSRA
8' - Americana / ALZAR <b>Stair</b> Rail	8PSRA	___8PSRA
10' - Americana / ALZAR <b>Stair</b> Rail	10PSRA	___10PSRA
1.5" x 1.5" x 31-3/4" Pickets	32PCKT	___32PCKT



### Angle Wizard Bracket Option

To have your Stair Rail Section packed with adjustable **Angle Wizard Brackets** rather than the standard fixed brackets add:

White  
Colors

Gates	Rough Opening	
	36" or Less	37" - 48"
Standard Height Americana Gate (colors 15% up)		

All gates are **CUSTOM** made to fit your rough opening.  
All gates include hardware  
**GATES ARE NOT RETURNABLE**  
For more about gates see page 42.

# Victoria

## Elegant Spindle Railing

Sections include rails, aluminum stiffeners, spindles, brackets & screws.

**Posts and caps are not included.**

Please order separately.

Spindle Spacing= 3-3/8"

Typical installed rail height is 38"  
(Including 3" space between deck and bottom rail).

For 42" tall rail add \$ per foot (list).

Shown with  
**NP1**  
**Victorian Newel** post.  
Sold Separately.

Shown with **ALZAR**  
top rail option.




**2" x 3-1/2" Top Rail**

White	<u>Almond, Pebblestone K, Adobe</u> <b>(A,P,K)</b> 6SR-S
-------	---

**ALZAR Top Rail**

White	<u>Almond, Pebblestone K, Adobe</u> <b>(A,P,K)</b> 6SRA-S
-------	--

**SECTIONS**

6' Victoria Rail Section	6SR-S	___8SR-S	6SRA-S	___8SRA-S
8' Victoria Rail Section	8SR-S	___10SR-S	8SRA-S	___10SRA-S
10' Victoria Rail Section w/ 1-1/2" sq. center leg	10SR-S	___12SR-S	10SRA-S	___12SRA-S
12' Victoria Rail Section w/ 1-1/2" sq. center leg	12SR-S	___6SSR-S	12SRA-S	___6SSRA-S
6' Victoria <u>Stair</u> Rail Section 	6SSR-S	___8SSR-S	6SSRA-S	___8SSRA-S
8' Victoria <u>Stair</u> Rail Section 	8SSR-S	___10SSR-S	8SSRA-S	___10SSRA-S
10' Victoria <u>Stair</u> Rail Section 	10SSR-S		10SSRA-S	

## REPLACEMENT RAILS

Rails **DO NOT** include aluminum stiffeners. Sold Separately. See page 43.

	White	Colors
6' - 2" x 3.5" Victoria Rail	6SR	<b>(A, P, K)</b> 6SR
8' - 2" x 3.5" Victoria Rail	8SR	___8SR
10' - 2" x 3.5" Victoria Rail	10SR	___10SR
12' - 2" x 3.5" Victoria Rail	12SR	___12SR
6' - Victoria / ALZAR Rail	6SRA	___6SRA
8' - Victoria / ALZAR Rail	8SRA	___8SRA
10' - Victoria / ALZAR Rail	10SRA	___10SRA
12' - Victoria / ALZAR Rail	12SRA	___12SRA
6' - 2" x 3.5" Victoria <u>Stair</u> Rail	6SSR	___6SSR
8' - 2" x 3.5" Victoria <u>Stair</u> Rail	8SSR	___8SSR
10' - 2" x 3.5" Victoria <u>Stair</u> Rail	10SSR	___10SSR
6' - Victoria / ALZAR <u>Stair</u> Rail	6SSRA	___6SSRA
8' - Victoria / ALZAR <u>Stair</u> Rail	8SSRA	___8SSRA
10' - Victoria / ALZAR <u>Stair</u> Rail	10SSRA	___10SSRA
1.5" x 1.5" x 32" Spindles	32SPNDL	___32SPNDL



**Angle Wizard Bracket Option**

To have your Stair Rail Section packed with adjustable **Angle Wizard Brackets** rather than the standard fixed brackets add:

White  
Colors

Gates	Rough Opening	
	36" or Less	37" - 48"
Standard Height Victoria Gate (colors 15% up)		

All gates are **CUSTOM** made to fit your rough opening.  
All gates include hardware  
**GATES ARE NOT RETURNABLE**  
For more about gates see page 42.

# SONOMA DECK RAIL SYSTEM

Sections include rails, aluminum stiffeners, pickets, brackets & screws.

**Posts and caps are not included.**  
Please order separately.

Picket Spacing= 3-3/4"

Typical installed rail height is 38"  
(Including 3" space between deck and bottom rail).




For 42" & 48" tall rail add \$ per foot (list).

**ALZAR** rail option is **NOT AVAILABLE** on Sonoma series railings

### 2" x 3-1/2" Top Rail

White	<b>A</b> lmond, <b>P</b> ebblestone <b>K</b> , Adobe
-------	--

## SECTIONS

6' Sonoma Rail Section	6ER-S	<b>(A, P, K)</b> 6ER-S
8' Sonoma Rail Section	8ER-S	___8ER-S
10' Sonoma Rail Section w/ 1-1/2" sq. center leg	10ER-S	___10ER-S
12' Sonoma Rail Section w/ 1-1/2" sq. center leg	12ER-S	___12ER-S
6' Sonoma <b>Stair</b> Rail Section 	6ESR-S	___6ESR-S
8' Sonoma <b>Stair</b> Rail Section 	8ESR-S	___8ESR-S
10' Sonoma <b>Stair</b> Rail Section 	10ESR-S	___10ESR-S

## REPLACEMENT RAILS

Rails **DO NOT** include aluminum stiffeners. Sold Separately. See page 43.

	White	Colors
6' - 2" x 3.5" Sonoma Rail	6ER	<b>(A, P, K)</b> 6ER
8' - 2" x 3.5" Sonoma Rail	8ER	___8ER
10' - 2" x 3.5" Sonoma Rail	10ER	___10ER
12' - 2" x 3.5" Sonoma Rail	12ER	___12ER
6' - 2" x 3.5" Sonoma <b>Stair</b> Rail	6ESR	___6ESR
8' - 2" x 3.5" Sonoma <b>Stair</b> Rail	8ESR	___8ESR
10' - 2" x 3.5" Sonoma <b>Stair</b> Rail	10ESR	___10ESR
7/8" x 1.5" x 31-3/4" Pickets	32EPCKT	___32EPCKT



### Angle Wizard Bracket Option

To have your Stair Rail Section packed with adjustable **Angle Wizard Brackets** rather than the standard fixed brackets add:

White  
Colors

Gates	Rough Opening	
	36" or Less	37" - 48"
Standard Height <b>Sonoma Gate</b> (colors 15% up)		

All gates are **CUSTOM** made to fit your rough opening.  
All gates include hardware  
**GATES ARE NOT RETURNABLE**  
For more about gates see page 42.



# Contempra

## Decorators Baluster Handrail System

Sections include rails, aluminum stiffeners, balusters, brackets & screws.

**Posts and caps are not included.**  
Please order separately.


Baluster Spacing= 3-7/8"

Typical installed rail height is 38"  
(Including 3" space between deck and bottom rail).




For 42" tall rail add \$ per foot (list).



Choose your railing then choose your spindle color!



SECTIONS

	2" x 3-1/2" Top Rail		ALZAR Top Rail	
	White	Almond, Pebblestone K, Adobe (A, P, K)	White	Almond, Pebblestone K, Adobe (A, P, K)
6' Contempra Rail Section	6CR-S	___6CR-S	6CRA-S	___6CRA-S
8' Contempra Rail Section	8CR-S	___8CR-S	8CRA-S	___8CRA-S
10' Contempra Rail Section w/ 1-1/2" sq. center leg	10CR-S	___10CR-S	10CRA-S	___10CRA-S
12' Contempra Rail Section w/ 1-1/2" sq. center leg	12CR-S	___12CR-S	12CRA-S	___12CRA-S
6' Contempra <b>Stair</b> Rail Section 	6CSR-S	___6CSR-S	6CSRA-S	___6CSRA-S
8' Contempra <b>Stair</b> Rail Section 	8CSR-S	___8CSR-S	8CSRA-S	___8CSRA-S
10' Contempra <b>Stair</b> Rail Section 	10CSR-S	___10CSR-S	10CSRA-S	___10CSRA-S

### 32" Estate Option

-32" Estate balusters are available in **Black & Bronze.**

-The balusters are **3/4" square.**

-Add \$ per foot (list) for the Estate Option.

## REPLACEMENT RAILS

Rails **DO NOT** include aluminum stiffeners. Sold Separately. See page 43.

	White	Colors
6' - 2" x 3.5" Contempra Rail	6CR	(A, P, K)6CR
8' - 2" x 3.5" Contempra Rail	8CR	___8CR
10' - 2" x 3.5" Contempra Rail	10CR	___10CR
12' - 2" x 3.5" Contempra Rail	12CR	___12CR
6' - Contempra / ALZAR Rail	6CRA	___6CRA
8' - Contempra / ALZAR Rail	8CRA	___8CRA
10' - Contempra / ALZAR Rail	10CRA	___10CRA
12' - Contempra / ALZAR Rail	12CRA	___12CRA
6' - 2" x 3.5" Contempra <b>Stair</b> Rail	6CSR	___6CSR
8' - 2" x 3.5" Contempra <b>Stair</b> Rail	8CSR	___8CSR
10' - 2" x 3.5" Contempra <b>Stair</b> Rail	10CSR	___10CSR
6' - Contempra / ALZAR <b>Stair</b> Rail	6CSRA	___6CSRA
8' - Contempra/ ALZAR <b>Stair</b> Rail	8CSRA	___8CSRA
10' - Contempra/ ALZAR <b>Stair</b> Rail	10CSRA	___10CSRA



### Angle Wizard Bracket Option

To have your Stair Rail Section packed with adjustable **Angle Wizard Brackets** rather than the standard fixed brackets add:

White Colors

Gates	Rough Opening	
	36" or Less	37" - 48"
Standard Height Contempra Gate (colors 10% up)		

All gates are **CUSTOM** made to fit your rough opening.

All gates include hardware

**GATES ARE NOT RETURNABLE**

For more about gates see page 42.

# Orleans

French Quarter Style Bellied Railing

Sections include rails, aluminum stiffeners, balusters, brackets & screws.

**Posts and caps are not included.**


Please order separately.

Baluster Spacing= 3-7/8"

Typical installed rail height is 38"  
(Including 3" space between deck and bottom rail).

Available with white balusters only.

Color rail with white balusters add 10%.



**2" x 3-1/2" Top Rail**

**ALZAR Top Rail**

White

White

6OR-S

6ORA-S

8OR-S

8ORA-S

10OR-S

10ORA-S

12OR-S

12ORA-S

6OSR-S

6OSRA-S




8OSR-S

8OSRA-S

10OSR-S

10OSRA-S

## SECTIONS

6' Orleans Rail Section		6OR-S	6ORA-S
8' Orleans Rail Section		8OR-S	8ORA-S
10' Orleans Rail Section w/ 1-1/2" sq. center leg		10OR-S	10ORA-S
12' Orleans Rail Section w/ 1-1/2" sq. center leg		12OR-S	12ORA-S
6' Orleans <u>Stair</u> Rail Section		6OSR-S	6OSRA-S
8' Orleans <u>Stair</u> Rail Section		8OSR-S	8OSRA-S
10' Orleans <u>Stair</u> Rail Section		10OSR-S	10OSRA-S

## REPLACEMENT RAILS

Rails **DO NOT** include aluminum stiffeners. Sold Separately. See page 43.

	White
6' - 2" x 3.5" Orleans Rail	6OR
8' - 2" x 3.5" Orleans Rail	8OR
10' - 2" x 3.5" Orleans Rail	10OR
12' - 2" x 3.5" Orleans Rail	12OR
6' - Orleans / ALZAR Rail	6ORA
8' - Orleans / ALZAR Rail	8ORA
10' - Orleans / ALZAR Rail	10ORA
12' - Orleans / ALZAR Rail	12ORA
6' - 2" x 3.5" Orleans <u>Stair</u> Rail	6OSR
8' - 2" x 3.5" Orleans <u>Stair</u> Rail	8OSR
10' - 2" x 3.5" Orleans <u>Stair</u> Rail	10OSR
6' - Orleans / ALZAR <u>Stair</u> Rail	6OSRA
8' - Orleans / ALZAR <u>Stair</u> Rail	8OSRA
10' - Orleans / ALZAR <u>Stair</u> Rail	10OSRA
32" Orleans Bellied Balusters	32BELLY



**Angle Wizard Bracket Option**

To have your Stair Rail Section packed with adjustable **Angle Wizard Brackets** rather than the standard fixed brackets add:

White  
Colors

Gates	Rough Opening	
	36" or Less	37" - 48"
Standard Height Orleans Gate		

All gates are **CUSTOM** made to fit your rough opening.  
All gates include hardware  
**GATES ARE NOT RETURNABLE**  
For more about gates see page 42.

# TUSCAN

## TWISTED SPINDLE RAILING

Sections include rails, aluminum stiffeners, spindles, brackets & screws.


**Posts and caps are not included.**  
Please order separately.

Spindle Spacing= 3-3/8"

Typical installed rail height is 38"  
(Including 3" space between deck and bottom rail).

Available with white spindles only.




Color rail with white baluster add 10%.



Shown with **ALZAR** top rail option.

2" x 3-1/2" Top Rail	ALZAR Top Rail
White	White
6TR-S	6TRA-S
8TR-S	8TRA-S
10TR-S	10TRA-S
12TR-S	12TRA-S
6TSR-S	6TSRA-S
8TSR-S	8TSRA-S
10TSR-S	10TSRA-S

# SECTIONS

6' Tuscan Rail Section		6TR-S	6TRA-S
8' Tuscan Rail Section		8TR-S	8TRA-S
10' Tuscan Rail Section w/ 1-1/2" sq. center leg		10TR-S	10TRA-S
12' Tuscan Rail Section w/ 1-1/2" sq. center leg		12TR-S	12TRA-S
6' Tuscan <b>Stair</b> Rail Section		6TSR-S	6TSRA-S
8' Tuscan <b>Stair</b> Rail Section		8TSR-S	8TSRA-S
10' Tuscan <b>Stair</b> Rail Section		10TSR-S	10TSRA-S

## REPLACEMENT RAILS

Rails **DO NOT** include aluminum stiffeners. Sold Separately. See page 43.

	White	
6' - 2" x 3.5" Tuscan Rail	6TR	
8' - 2" x 3.5" Tuscan Rail	8TR	
10' - 2" x 3.5" Tuscan Rail	10TR	
12' - 2" x 3.5" Tuscan Rail	12TR	
6' - Tuscan / ALZAR Rail	6TRA	
8' - Tuscan / ALZAR Rail	8TRA	
10' - Tuscan / ALZAR Rail	10TRA	
12' - Tuscan / ALZAR Rail	12TRA	
6' - 2" x 3.5" <b>Stair</b> Tuscan Rail	6TSR	
8' - 2" x 3.5" <b>Stair</b> Tuscan Rail	8TSR	
10' - 2" x 3.5" <b>Stair</b> Tuscan Rail	10TSR	
6' - Tuscan / ALZAR <b>Stair</b> Rail	6TSRA	
8' - Tuscan / ALZAR <b>Stair</b> Rail	8TSRA	
10' - Tuscan / ALZAR <b>Stair</b> Rail	10TSRA	
Tuscan Twist Spindles	32TWST	



### Angle Wizard Bracket Option

To have your Stair Rail Section packed with adjustable **Angle Wizard Brackets** rather than the standard fixed brackets add:

White  
Colors

Gates	Rough Opening	
	36" or Less	37" - 48"
Standard Height Tuscan Gate		

All gates are **CUSTOM** made to fit your rough opening.  
All gates include hardware  
**GATES ARE NOT RETURNABLE**  
For more about gates see page 42.



# DALLAS

## Diamond Pattern Picket Rail


Sections include rails, aluminum stiffeners, pickets, brackets & screws.

**Posts and caps are not included.**  
Please order separately.

Picket Spacing= 3-3/8"




Typical installed rail height is 38"  
(Including 3" space between deck and bottom rail).

For 42" & 48" tall rail add \$ per foot (list).



Shown with **ALZAR** top rail option.

# SECTIONS

	2" x 3-1/2" Top Rail		ALZAR Top Rail	
	White	Almond or Pebblestone	White	Almond or Pebblestone
6' Dallas Rail Section	6DR-S	(A or P)6DR-S	6DRA-S	(A or P)6DRA-S
8' Dallas Rail Section	8DR-S	___8DR-S	8DRA-S	___8DRA-S
10' Dallas Rail Section w/ 1-1/2" sq. center leg	10DR-S	___10DR-S	10DRA-S	___10DRA-S
12' Dallas Rail Section w/ 1-1/2" sq. center leg	12DR-S	___12DR-S	12DRA-S	___12DRA-S
6' Dallas <b>Stair</b> Rail Section 	6DSR-S	___6DSR-S	6DSRA-S	___6DSRA-S
8' Dallas <b>Stair</b> Rail Section 	8DSR-S	___8DSR-S	8DSRA-S	___8DSRA-S
10' Dallas <b>Stair</b> Rail Section 	10DSR-S	___10DSR-S	10DSRA-S	___10DSRA-S

## REPLACEMENT RAILS

Rails **DO NOT** include aluminum stiffeners. Sold Separately. See page 43.

	White	Color
6' - 2" x 3.5" Dallas Rail	6DR	(A or P)6DR
8' - 2" x 3.5" Dallas Rail	8DR	___8DR
10' - 2" x 3.5" Dallas Rail	10DR	___10DR
12' - 2" x 3.5" Dallas Rail	12DR	___12DR
6' - Dallas / ALZAR Rail	6DRA	___6DRA
8' - Dallas / ALZAR Rail	8DRA	___8DRA
10' - Dallas / ALZAR Rail	10DRA	___10DRA
12' - Dallas / ALZAR Rail	12DRA	___12DRA
6' - Dallas 2" x 3.5" <b>Stair</b> Rail	6DSR	___6DSR
8' - Dallas 2" x 3.5" <b>Stair</b> Rail	8DSR	___8DSR
10' - Dallas 2" x 3.5" <b>Stair</b> Rail	10DSR	___10DSR
6' - Dallas / ALZAR <b>Stair</b> Rail	6DSRA	___6DSRA
8' - Dallas / ALZAR <b>Stair</b> Rail	8DSRA	___8DSRA
10' - Dallas / ALZAR <b>Stair</b> Rail	10DSRA	___10DSRA
1 x 1 x 31-3/4" Dallas Pickets	32DPCKT	___32DPCKT



### Angle Wizard Bracket Option

To have your Stair Rail Section packed with adjustable **Angle Wizard Brackets** rather than the standard fixed brackets add:

White  
Colors

Gates	Rough Opening	
	36" or Less	37" - 48"
Standard Height Dallas Gate (colors 15% up)		

All gates are **CUSTOM** made to fit your rough opening.  
All gates include hardware  
**GATES ARE NOT RETURNABLE**  
For more about gates see page 42.

**Improved Design!**

# Vista Glass Rail System

VISTA now uses standard **Alzar** and 2 x 3-1/2 profiles and brackets, making it easy to combine it with other rail series!

Each rail set includes top and bottom rails, aluminum stiffeners, brackets, hardware and foam glazing tape.

**GLASS PANELS ARE NOT INCLUDED!**

Obtain 1/4" thick tempered glass or acrylic panels at your local glass dealer.

Panel width should be 2-1/2" less than finished distance between posts.



## RAIL SETS

	2" x 3-1/2" Top Rail		ALZAR Top Rail	
	White	Almond, Pebblestone K, Adobe	White	Almond, Pebblestone K, Adobe
6' Vista Rail Set w/ 1-1/2" sq. center leg	6VR-S	(A, P, K) 6VR-S	6VRA-S	(A, P, K) 6VRA-S
8' Vista Rail Set w/ 1-1/2" sq. center leg	8VR-S	___8VR-S	8VRA-S	___8VRA-S

## REPLACEMENT RAILS

Rails **DO NOT** include aluminum stiffeners. Sold Separately. See page 43.

	White		Color	
	6VR	8VR	(A, P, K) 6VR	___8VR
6' - 2" x 3.5" Vista Rail	6VR		(A, P, K) 6VR	___8VR
8' - 2" x 3.5" Vista Rail	8VR		___6VRA	___8VRA
6' - Vista / ALZAR Rail	6VRA		___6VRA	___8VRA
8' - Vista / ALZAR Rail	8VRA		___8VRA	

Gates	Rough Opening	
	36" or Less	37" - 48"
<b>Gates are not available for rail series that use glass balusters or glass panels.</b>		
All gates are <b>CUSTOM</b> made to fit your rough opening. All gates include hardware		
<b>GATES ARE NOT RETURNABLE</b>		
For more about gates see page 42.		



Missouri  
Vinyl  
Products

# The Vintage Balustrade Series

**6" x 6" Newl Posts**  
**2-5/8" x 2-5/8" Balusters**  
**4-1/2" x 3-3/8" Rails**

Available  
in WHITE  
ONLY!



**Order by individual component.**

<b>Flat Rail &amp; Stiffener Sets</b> <b>Includes Brackets</b> Includes both top and bottom rails and aluminum stiffeners and brackets for each.  (Top or Bottom rails (incl. aluminum) are available individually. Use 1/2 of set price)	4'	4JR-S	
	6'	6JR-S	
	8'	8JR-S	
	10'	10JR-S	
<b>Stair Rail &amp; Stiffener Sets</b> <b>Includes Stair Rail Mounts</b> Includes both top and bottom stair rails and aluminum stiffeners and brackets for each.  (Top or Bottom rails (incl. aluminum) are available individually. Use 1/2 of set price)	6'	6JSR-S	
	8'	8JSR-S	
	10'	10JSR-S	
<b>Balusters (each) 2-5/8" X 2-5/8"</b> 30" tall baluster (makes 36" tall rail) 36" tall baluster (makes 42" tall rail)	30"	30JB	
	36"	36JB	

**Balusters spaced 5 1/4" on center.**

**Flat rail baluster counts:**

4' = 9 balusters, 6' = 13 balusters, 8' = 17 balusters, 10' = 22 balusters

**Stair rail baluster counts:**

6' = 10 balusters, 8' = 14 balusters, 10' = 18 balusters

**Posts**      **Caps and skirts sold separately (pg 28 & 29)**

38" 6 x 6 <b>Vintage</b> Newel	3866VNP	
54" 6 x 6 <b>Vintage</b> Newel	5466VNP	
38" 6 x 6 <b>Recessed Panel</b> Post Sleeve	3866RDP	
54" 6 x 6 <b>Recessed Panel</b> Post Sleeve	5466RDP	
39" <b>Multi-Mount</b> for 6x6 post	66RPB	
45" <b>Multi-Mount</b> for 6x6 post <b>FOR STAIRS</b>	66RPBS	



38" & 54"  
6x6 Recessed  
Panel Newel

**For matching  
structural posts  
see page 35**

38"  
6x6 Vintage  
Newel

39" & 45"  
6x6 Multi-Mount

54"  
6x6 Vintage  
Newel

# The Vintage



## Balustrade Series

### FLAT RAIL BRACKET




Top and Bottom rail  
use same bracket.

1	Flat Rail Bracket - Works for top or bottom	JRB	
2	Stair Rail Bracket (4 Brackets per pack)	JSRB-S	
3	45 degree Angle Adapters (1 pair)	JARB	
4	8" Round Column Adapters (1 pair)	JRRB8	
	10" Round Column Adapters (1 pair)	JRRB10	
5	8" Round Column Stair Adapters( 1 pair)	JRSRB8	
	10" Round Column Stair Adapters (1 pair)	JRSRB10	

### STAIR RAIL BRACKET

(Sold in packs of 4)



### 45 DEGREE ANGLE ADAPTERS

Use behind Flat Rail Bracket  
above.


Sold in pairs,  
one top & one bottom.



### 8" & 10" ROUND COLUMN ADAPTERS

Use behind Flat Rail Bracket  
above.

Sold in pairs,  
one top & one bottom.



### 8" & 10" ROUND COLUMN STAIR ADAPTERS

Use behind Stair Rail Mount  
above.

Sold in pairs,  
one top & one bottom.







**3<sup>3</sup>/<sub>4</sub>" x 3<sup>3</sup>/<sub>4</sub>" Balusters**

**8" x 8" Newl Posts**

**6<sup>1</sup>/<sub>2</sub>" x 4<sup>1</sup>/<sub>2</sub>" Rails**

**Order by individual component.**

**Flat Rail & Stiffener Sets**

Includes both top and bottom rails and aluminum stiffeners for each. DOES NOT include brackets.

(Top or Bottom rails are available individually. Use 1/2 of set price)

4'	4QR-S
6'	6QR-S
8'	8QR-S
10'	10QR-S
12'	12QR-S

**Stair Rail & Stiffener Sets**

Includes both top and bottom stair rails and aluminum stiffeners for each. DOES NOT include brackets.

(Top or Bottom rails are available individually. Use 1/2 of set price)

6'	6QSR-S
8'	8QSR-S
10'	10QSR-S

**Balusters (each) 3-<sup>3</sup>/<sub>4</sub>" X 3-<sup>3</sup>/<sub>4</sub>"**

29" tall baluster (makes 36" tall rail)  
35" tall baluster (makes 42" tall rail)

29"	29QB
35"	35QB

**Balusters spaced 6<sup>1</sup>/<sub>2</sub>" on center.**

**Flat rail baluster counts:**

4' = 7 balusters, 6' = 11 balusters, 8' = 15 balusters, 10' = 19 balusters, 12' = 22 balusters

**Stair rail baluster counts:**

6' = 9 balusters, 8' = 12 balusters, 10' = 15 balusters

**Post Sleeves 8" x 8" sq.**

**Caps and skirts sold separately (pg 17)**

38" Smooth Post Sleeve	3888DP
54" Smooth Post Sleeve	5488DP
120" Smooth Post Sleeve	12088DP
38" Recessed Panel Post Sleeve	3888RDP
54" Recessed Panel Post Sleeve	5488RDP
37" Multi-Mount for 8x8 post	88RPB
45" Multi-Mount for 8x8 post <b>FOR STAIRS</b>	88RPBS



**SMOOTH**



**RECESSED**





**37" & 45"  
8x8 Multi-Mount**



# The BELMONT Balustrade Series



**FLAT RAIL BRACKETS**  
NOT included with rails.  
Must order separately.



1	Flat Rail Bracket - Top	QRB-T	
2	Flat Rail Bracket - Bottom	QRB-B	
3	Stair Rail Mount Works for top or bottom (sleeve over trims included with rails)	QSRB	
4	45 degree Angle Adapters (1 pair)	QARB	
5	8" Round Column Adapters(1 pair)	QRRB8	
	10" Round Column Adapters(1 pair)	QRRB10	
NOT SHOWN	8" Round Column Stair Adapters(1 pair)	QRSRB8	
	10" Round Column Stair Adapters(1 pair)	QRSRB10	

6	8" x 8" New England Post Cap	Q8NCAP	
7	8" x 8" Classic Trim Post Skirt	Q8CSKRT	


**STAIR RAIL MOUNT**  
NOT included with rails.  
Must order separately.



**45 DEGREE ANGLE ADAPTERS**  
Use behind Flat Rail Bracket above.  
Sold in pairs, one top & one bottom.



"SLEEVE OVER" TRIM RINGS ARE **INCLUDED** WITH THE STAIR RAILS.  
NO NEED TO ORDER SEPARATELY!



**8" & 10" ROUND COLUMN ADAPTERS**  
Use behind Flat Rail Bracket above.  
Sold in pairs, one top & one bottom.

**8" & 10" ROUND COLUMN STAIR ADAPTERS**  
Use behind Stair Rail Mount above.  
Sold in pairs, one top & one bottom.

# Arabian Series




## Aluminum Railing System

Alternative baluster styles and colors available, see [keylinkfencing.com](http://keylinkfencing.com).

The Arabian Series Aluminum Rail comes in Black, Bronze, or White.

- All Sections include; top rail, bottom rail, balusters, mounting brackets, & hardware.
- Rail Length flat sections - 6' = 72" 8' = 96"
- Rail length stair sections - 6' = 70" 8' = 94"
- Typical installed rail height is 36" (Including a 2" space between deck and bottom rail)
- Picket profile = 3/4" x 3/4" square baluster
- Space between pickets = 3 5/8"



**Top Rail** - 1 3/4" W x 1 7/8" H

**Bottom Rail** - 1 1/4" W x 1 1/2" H

Drains in the bottom rail allow any moisture to escape.



Unique full length PVC inserts in both the top and bottom rails allow a faster, "screwless" assembly and create a tight, quiet fit.

6' Arabian Flat Rail Section	(W,B,BR)6AR-S	
8' Arabian Flat Rail Section	__8AR-S	
6' Arabian <b>Stair</b> Rail Section	__6ASR-S	
8' Arabian <b>Stair</b> Rail Section	__8ASR-S	

GATES		
36" Wide Gate	A36GATE-	
	—	
48" Wide Gate	A48GATE-	
	—	

- Actual size of gates are 36" and 48"
- No custom sizes
- Rough opening must be 1-1/2" over gate size
- 2 1/2" post are used on gate
- Black or white hardware is included in price.

# Arabian Series Aluminum Railing System




1	Flat Rail Bracket Kit - Set of 4	ARB- (B,BR,W)	
2	Stair Rail Bracket Kit - Set of 4	ASRB-__	
3	Universal Stair Rail Bracket Kit - Set of 4	AUSRB-__	
4	45 Deg. Angle Rail Bracket Kit - Set of 4	AARB-__	
5	Adjustable Angel Rail Bracket Kit - Set of 4 (Side to side only)	BUAARB-__	
6	2-1/2" Cross Over Adapter	A2COA-__	
	3-1/4" Cross Over Adapter	A3COA-__	
7	Railing Section Support	ARS-__	

1	3-1/4 x 3-1/4 x 108" Structural Porch Post	ASPP-__	
2	38" x 2-1/2 x 2-1/2 Newel Post w/base plate	A382NP-__	
	48" x 2-1/2 x 2-1/2 Newel Post w/base plate	A482NP-__	
	38" x 3-1/4 x 3-1/4 Newel Post w/base plate	A383NP-__	
	48" x 3-1/4 x 3-1/4 Newel post w/base plate	A483NP-__	
3	2-1/2 x 2-1/2 Trim Skirt	A2SSKRT-__	
	3-1/4 x 3-1/4 Trim Skirt	A3SSKRT-__	
4	2-1/2 x 2-1/2 Flat Cap	A2SCAP-__	
	3-1/4 x 3-1/4 Flat Cap	A3SCAP-__	
5	2-1/2 x 2-1/2 Ball Cap	A2BCAP-__	
	3-1/4 x 3-1/4 Ball Cap	A3BCAP-__	
6	Touch Up Spray Paint	ATP-__	

**Structural Porch Post**  
Maximum Load = 7500 lbs.

**Newel Post with welded base plate**  
(Includes leveling bolts)



Dimensions of base plate:  
2-1/2 = 3-7/8"  
3-1/4 = 4-1/2"

Base plate mounts with (4) 5/16" to 3/8" wedge type anchor bolts (not included)  
Trim skirts cover base plate (sold separate)





# Secondary Handrail System




1-1/2" Round PVC with Aluminum Core

Black parts similar to white/almond - not exact.

## Item Description

### Rail



		SKU	White	Almond	Black
A	8'-8" pc 1-1/2" Straight Rail	RR88R-S			



A 8'-8" LONG


### Connectors

		SKU	White	Almond	Black
B	Aluminum Universal 90-180 deg	RRUC			
C	Straight Connector	RRSC			
D	End Cap	RREC			



### Corners


		SKU	White	Almond	Black
E	90 deg. Elbow	RR190			N/A
F	32 deg Elbow	RR132			N/A
H	5 deg Elbow	RR15			N/A
I	90 deg Outside Corner	RRO90			*



\*BLACK ONLY - can be used for inside or outside corner\*

### Brackets



		SKU	White	Almond	Black
J	Inline Bracket	RRIB			
K	Inside Corner Bracket	RRIC			



### Returns

		SKU	White	Almond	Black
L	"P" Loop Return	RRPR			
M	90 deg Aluminum Post Return	RR90R			
N	Aluminum Straight Wall Return	RRSR			

All fittings come w/ screws and necessary hardware.




# Secondary Handrail System

1-1/2" Round PVC with Aluminum Core



## Typical Installation Detail

(For White and Almond)



Can be mounted  
to any existing  
**Vinyl,**  
**Wood,** or  
**Composite**  
railing system.

Detailed installation instructions  
available from your dealer.